

Clin Plastic Surg 31 (2004) 625-638

CLINICS IN PLASTIC SURGERY

Cumulative Index 2004

Volume 31

January SKIN CANCER RESTORATION, pages 1–124
April CLEFT LIP AND PALATE, pages 125–376
July CRANIOFACIAL RECONSTRUCTION, pages 377–522

December ABDOMINOPLASTY, pages 523-638

Note: Page numbers of article titles are in boldface type.

A

Abdomen, classification of, 539-540 contouring of, current methods of, evolution

in male, identification of aesthetic units for, 561

deformity of, causes of, 555

following massive weight loss, 611, 613

soft tissues of, differences in male and female, 555, 556

special Type I, 546-547, 550-551

special Type II, 547, 552

Type I, 539, 540, 541

Type II, 539, 540, 542–5431

Type III, 540-545, 546, 547

Type IV, 540, 545-546, 548

Type V, 540, 546, 549

Type VI, 540, 549-550

Abdominoplasty, aged pelvic tilt and, 524, 526

classification of treatable layers of abdomen and, 558

design of, 524

1 C. Line 524

and fashion, 539

for body lift, using progressive tension sutures, 588

full, using progressive tension sutures, 587

lateral-tension, and body lifts, maximizing

aesthetics in, 523-538

"buttock lift" effect of, 525

high-, design of, 524

dressings and postoperative care for,

528-529 operative technique for, 526-528, 530, 531

patient selection for, 525-526, 527,

528, 529

thigh/buttock lifts with, 529-537

complications of, 532-537

operative technique for, 530-532

patient selection for, 530, 533-537

umbilicoplasty with, 528

result of, 524

lipoplasty and, based on anatomy, 540-548

overlap of, 539-553

technique of, 548-552

liposuction for, 583

male, 555-569

anesthesia for, 566-568

complications of, 566

goals of, 555

indications for, and techniques of, 558-559

intra-abdominal submuscular fat compartment and, 568

operative procedures for, 559-566

patient classification for, 557-558, 559

patient examination for, and diagnosis of, 557

postoperative patient management for, 567

preoperative patient management for, 567

"marriage," 571-581

operative procedure in, 574-577

postoperative view of, 577, 578, 579

preoperative evaluation and patient selection

for, 571-573, 574-575

preoperative markings for, 572, 573-574

vertical plication of infraumbilical rectus muscle fascia for, 576

minimal access subtypes of, 559

minimal scar, skin managed in, 572

modified, using progressive tension sutures, 586

patient evaluation for, 523

progressive tension sutures in, **583–589**excision for, 584, 585
flap advancement and suture for, 584, 585
study of, 585–586
technique of, 583–585
technique of, 523
treatment strategies for, 524–525
Type IV full, with or without liposuction, indications for, 561
technique of, 561–565

Adipose tissue, abdominal, excess, suction lipectomy in, 580 of male patient, 556

Adolescent device, mandibular, 409-410

unfavorable results from, 523

Adolescents, with cleft lip and cleft palate, treatment of, 352–353 with clefts, orthodontic treatment in, 278–283, 283–284, 285–286, 287–289

Adults, facial growth in, unoperated clefts and, 363-374 with clefts, orthodontic treatment in, 278-283,

283–284, 285–286, 287–289
Airway obstruction, in Pierre Robin neonates,

distraction osteogenesis in, 225–233

Ala, defects of, cheek flaps for reconstruction of, 97 following Mohs' surgery, aesthetic nasal reconstruction in, 106–107

full-thickness defects of, chondrocutaneous grafts for reconstruction of, 97

margin of, full-thickness defect of, bilobed flaps for reconstruction of, 102-106

shallow defect of, bilobed flaps for reconstruction of, 102, 103

subtotal defect of, conchal cartilage graft in, 101-102

subunit of, superiorly based nasolabial flap for reconstruction of, 98

Alpha ester compounds, 393

Alveolar clefts. See Cleft(s), alveolar.

Anesthesia, for male abdominoplasty, 566-568

Antibiotic prophylaxis, during reconstruction of upper extremity, 114

Apert syndrome, brachycephaly and midface retrusion in, 471, 472

B

Back rolls, following massive weight loss, 612, 614, 615

Bariatric surgery, biliopancreatic diversion in, 595–596 categories of, 605 for weight loss, in morbidly obese patient, 591–600

laparoscopic, versus open bariatric surgery, 598 laparoscopic adjustable gastric banding for, 594 major elective surgery following, 606 malabsorption procedures in, 605 mechanism of action of, 593 nutritional considerations for, 605–607 open, laparoscopic surgery versus, 598 patient follow-up compliance in, 598 preoperative blood work following, 607 preoperative care for, 598 restrictive procedures in, 605 Roux-en-Y gastric bypass as, 596–598 timing of body contouring relative to, 601–602 use of medications following, 604 vertical banded gastroplasty for, 593–594

Baroudi's suture, 547

Basal cell carcinoma(s), field-fire, Mohs' micrographic surgery in, 13

Mohs' micrographic surgery in, 5, 9, 10, 11, 12, 13

Bernard/Webster flap, for total lower lip reconstruction, 81, 84

Biliopancreatic diversion, mechanism of action on, 595 method of, 595–596 results of, 596

Bilobed flap(s), for aesthetic reconstruction of nose, 142 in full-thickness alar margin defect, 102–106 in partial-thickness defects of nose, 98 in shallow defect of sidewall and ala, 102, 103

Bioactive glass particulate, for craniofacial reconstruction, 381-382

Biomaterials, in craniofacial reconstruction, 377-385

Blood work, preoperative, for post-bariatric-surgery patient, 607

Body contouring, diabetes mellitus, and gastric bypass, 603 fluid monitoring following, 607 outcomes of, screening and management of medical issues affecting, 602–604 post-gastric-bypass patient presenting for, perioperative management of, 601–610 prevention of wound complications following.

prevention of wound complications following, 607-608

prophylaxis of deep vein thrombosis for, 604–605 psychosocial issues and, 603 timing of, relative to bariatric surgery, 601–602

truncal, in massive weight loss, 611-624 with limited scars, mini-abdominoplasty and

liposuction for, 571-581

discussion of, 577-581

operative procedures for, 574-577

patient selection for, 572

postoperative view of, 577, 578, 579

preoperative evaluation for, 571-573, 574-575

preoperative markings for, 572, 573-574

Body lift(s), abdominoplasty using progressive tension sutures for. 588

and lateral-tension abdominoplasty, maximizing aesthetics in, 523-538

Bone, autogenous, for craniofacial reconstruction, 377-378

demineralized, for craniofacial reconstruction, 382 Bone advancement, in midface hypoplasia, 464–471

Bone and tissue engineering, carrier for, 390 for reconstruction following resection of skull

tumor, 388–389 historical background of, 387–389

in craniofacial reconstructive surgery, 387–392

matrix of, 390-391

scaffold for, 390

stem cells and, 390

system of, 390

Bone distraction, history of, 407

resorbable, current status and future directions in, 407-414

resorbable materials in, 407-408

Bone distraction devices, resorbable, 408-409

Bone ingrowth, hydroxyapatite implants and, 423-424

Bone paste, for craniofacial reconstruction, 382

Buttocks, following massive weight loss, 612-613, 615

C

Calcium phosphate bone cements, in cranial reconstruction, 424-426

Calvarial remodeling, in treatment of sagittal synostosis, 490, 491

Cancer, skin. See Skin cancer(s).

Cardiac disease, in obesity, assessment for gastric bypass procedures, 603

Carrier, for bone and tissue engineering, 390

Cartilage, autogenous, for reconstruction of skin and cartilage of ear, 92 for structural support in nasal reconstruction, 96

Cartilage graft, in aesthetic reconstruction following Mohs' surgery, 106-107

Cheek, buccal area of, defects of, treatment of, 60, 63, 64, 65-66

defects of, following Mohs' surgery, aesthetic reconstruction in, 109, 111

lateral area of, defects of, treatment of, 55-60 medial area of, defects of, treatment of, 52-55 reconstruction of, after ablation of skin cancer, 49-70

skin cancer of, anatomic considerations in, 50 principles of treatment of, 51-52 zygomatic area of, defects of, treatment of, 60,

Cheek flaps, for alar and sidewall defects, 97 in aesthetic reconstruction following Mohs' surgery, 109, 111

Child(ren), craniofacial fractures in. See *Craniofacial* fractures, pediatric.

with cleft lip and cleft palate, treatment of, 350-352

with clefts, orthodontic treatment in, 275-277, 278

Choncal cartilage graft, for delayed reconstruction following surgery for recurrent cancer, 111, 112

Chondrocutaneous grafts, for aesthetic reconstruction of nose, 141 for full-thickness alar defects, 97

Chondromucoperichondrial flap, in aesthetic reconstruction following Mohs' surgery, 110, 111-112

Chromosomal anonalies, orofacial clefting and, 135

Cleft(s), alveolar, anatomy and pathology of, 305-306

bone-graft donor sites for, 310–311 cleft lip, and cleft palate, nasoalveolar molding in, 151–160

cleft lip with, repair of, 182–183 dental patterns of, 306 management of, 305–315

orthodontic management of, 308

timing of repair of, 308

treatment of, dental rehabilitation in, 313 innovations in, 311–313 objectives in, 306–308 surgical technique in, 308–310 using maxillary osteotomies, 311 variability in extent of, 305

facial. See Facial clefts.

growth and development in, monitoring of, 283-289

in adolescents and adults, orthodontic treatment in, 278-283, 283-284, 285-286, 287-289

in elementary school age children, orthodontic treatment in, 275-277, 278

in neonates and children, orthodontic treatment in, 275

in toddlers and preschool children, orthodontic treatment in, 275

of functional matrix, anatomy of cleft site and, 167-171

functional matrix insufficiency and, 164-167 repair of, 161-192

anatomy of nose and mouth and, 163-164 closure sequence for, 177-180 dissection sequence for, 173-177 flap design for, 180-182 modifications of, 182-183 neuromeric model and, 161-163 scientific principles of, 161-171 surgical principles and techniques for, 171-183

of lip, alveolar, and palate, nasoalveolar molding in, 151-160

orthodontic treatment for patients with, **273–292** recordkeeping in, 274–275

poorly coordinated treatment of, problems following, 273, 274

prosthetic habilitation of patients with, 355–362
articulation development prosthesis for, 356
craniofacial rehabilitation in, 360–362
general dental care and, 356–357
nasal conformer for, 356
palatal lift in, 358–361
palatal obturator for, 357–358
pharyngeal obturator for, 358
premaxilla positioning appliance for, 355–356, 357
presurgical appliances for, 355–362

tooth replacement in, 359, 361 unoperated, facial growth of adults with, 363–374 abnormalities in, 363

lip surgery following, 364-372 mandible in, 369 maxilla in, 364-369

maxillary and mandibular dentition in, 369-373 maxillo-mandibular relationship in, 369 orthodontic treatment in, 363 palatal surgery following, 367-369

Cleft lip, and cleft palate, and alveolar clefts, nasoalveolar molding in, 151-160 distraction osteogenesis for, 293-304 distraction protocol for, 295, 296 results of, 295-302 surgical technique in, 295-295

embryology and genetics of, current concepts in, 125-140

in 2- to 5-year-old children, treatment of, 350-351

in adolescents, treatment of, 352–353 in school-aged child, learning issues in, 352 treatment of, 351–352

midface deficiency in, 293 parental adjustment to, 349 preoperative orthodontics in, 293

psychological issues in, 349-354

repair of, residual deformities after, 333-347 treatment issues in, 349-353

bilateral, 211-223

asymmetric, repair of, 218
binderoid, repair of, 218–219
nasal deformity in, primary repair of, 212–213
periodic assessment in, 219–222
preoperative dentofacial orthopedics in, 213–214
repair of, historical perspective on, 211–212
symmetric incomplete, repair of, 217–218
synchronous repair of, 214–217

with intact secondary palate, repair of, 217 complete bilateral, and cleft palate, 186–191 minimal, repair of, 183 with alveolar cleft, repair of, 182–183

Cleft lip-nose, unilateral, 194

distraction osteogenesis in, 196–197 lip adhesion in, 195 lip repair in, 197 long-term outcome of, 193–210 muscle reconstruction in, 197–198 nasal deformity in, 194–195 presurgical nasoalveolar orthopedic molding in, 196

surgical correction of lip and nose in, 198–207 surgical errors and pitfalls in, 197 surgical orthopedics and abnormal skeletal base in, 195–196 surgical technique in, 197

Cleft-orthognathic surgery, 317–332 controversies concerning, 325–329 distraction osteogenesis and, 328–329 historical perspective on, 320 integrated team approach to, 317 modified LeFort I, 325 orthodontics and, 326–328 prosthetic options in, 325–326 residual deformities following, 320 results of, 320–325 timing of, 317–320, 329 velopharyngeal dysfunction and, 326

Cleft palate. See also Cleft lip, and cleft palate. alveolar clefts, and cleft lip, nasoalveolar molding in, 151-160 anatomy of nose, lips, and palate and, 236-237 and complete bilateral cleft lip, 186-191 classification of, 238 complete bilateral, repair of, 241-242 incidence of, 235 incomplete, repair of, 238-240 repair of, art and issues in, 235-245 complications of, 244 operative and postoperative patient management in, 243-244 operative techniques for, 238-243 timing of, 243 speech in, anatomic evaluation of, 254-255 before and after palatal surgery, 253 early evaluations of, 253 evaluation of, 253-262 case history in, 253 patient and parent education and, 254

velopharyngeal function for, evaluation of, 254 submucous, repair of, 242–243 syndromes associated with, 235–236 variations of, 133

recommendations for, 257-262

260, 261, 262

Cobalamin deficiency, following Roux-en-Y gastric bypass, 606

physiologic evaluation of, 255-257, 258, 259,

Cochal bowl rotation, 90

Conchal cartilage, for structural support in nasal reconstruction, 96-97

Conchal cartilage graft, in subtotal defect of ala, 101-102

"Coronal ring" synostosis, 415

Coronal synostosis, bilateral, without midface retrusion, 475 helmets for postoperative patients in, 483–484, 486 unilateral, surgical repair of craniosynostosis in, 431, 440, 441

Cranial osteotomies, with resorbable fixation using endoscopic approach, 429-442

Cranial reconstruction, calcium phosphate bone cements in, 424-426

Cranial vault, total, reconstruction for, in treatment of sagittal synostosis, 489

Craniectomy, strip, in sagittal synostosis, 489 in treatment of sagittal synostosis, 489, 490

Craniofacial development, 128, 130-131

Craniofacial distraction, resorbable, 402, 403-404

Craniofacial fractures, pediatric, age distribution of, 501

brain growth and, 500–501
cases reports of, 513–516
causes of, 499
epidemiology of, 499
long-term consequences of, 499–518, 507–513
management of, 503–507
patterns of, 502–503
and craniofacial growth, 500–502

Craniofacial reconstruction, biomaterials in, 377-385 bone and tissue engineering in, 387-392

Craniofacial rehabilitation, in habilitation of cleft patients, 360-362

Craniofacial surgery, hydroxyapatite cements in, 423-428

MacroPore resorbable devices in, 393-406

Craniosynostosis, characteristics of, 463
coronal, endoscopic approach to, 415–422
helmet therapy following, 418, 419–420
results of, 418
surgical technique for, 416–418
patient preparation for, 416

early surgery for, 463 incidence of, 489

surgical repair of, efficacy of, assessment of, 429-430

history of, 429

in metopic synostosis, 430–431, 438, 439 in sagittal synostosis, 430, 433–434, 435, 436 in unilateral coronal synostosis, 431, 440, 441 methods of, 430–431 minimally invasive, 430

surgical techniques for, 430, 432, 433, 434, 435

surgical treatment of, helmets following. See Helmet(s), postsurgical. history of, 415 treatment of, 463–471

Cross-finger flap, reverse, for nail bed defects, 115, 116

Crouzon syndrome, craniofacial distraction in, 402, 403-404 midface hypoplasia in, 410-411 midface retrusion and orbito-frontal deformity and oxycephaly in, 476-478 osteotomy in, 464, 465 "true monoblock" in, 465-469, 471

D

Deformities, following repair of cleft lip and cleft palate, repair of, 333-347

Dehiscence, following circumferential belt lipectomy, 622

Dentition, maxillary and mandibular, in unoperated clefts, 369-373

Dermatofibrosarcoma, free flaps for reconstruction of large skin defects in, 41, 42

Diabetes mellitus, gastric bypass, and body contouring, 603

Distraction devices, clinical examples and technique of, 410-414

Distraction osteogenesis, and cleft-orthognathic surgery, 328–329 for cleft lip and cleft palate, **293–304** in mandible, 463 in mandibular hypoplasias, 443 benefits of, 443

history of, 443 in Pierre Robin neonates with airway obstruction, 225–233

in unilateral cleft lip-nose, 196-197

Dumping syndrome, 597-598

E

Ear, cancer resection of, 89
reconstruction of, 89–93
skin and cartilage of, reconstruction of, autogenous cartilage for, 92
posterior mastoid skin for, 92
resection of, 90–92

skin of, resection of, 90 structure of, 89–90 total reconstruction of, Medpor implant in, 93 temporal parietal fascia flap for, 92, 93

Embryonic development, signaling and growth factors in, 125-144

Endoscopy, for approach to coronal craniosynostosis, 415-422

resorbable fixation using, for fronto-orbital and cranial osteotomies, 429-442

Eyelid, inferior, defects of, reconstruction of, 60–70 reconstruction of, after ablation of skin cancer, 49–70 skin cancer of, anatomic considerations in,

F

50, 51

Face, growth of, in adults, unoperated clefts and, 363-374
H-zone of, 35
skin cancer of, radiation therapy for, 33-38

Facial clefts, documentation and record keeping in, three-dimensional technology for, 141–149 calculations and statistical analysis in, 145 discussion of, 136–137 materials and methods for, 142–145 results of, 145–146

Facial contouring, hydroxyapatite implants for, 427

Fascia flap, temporal parietal, for total reconstruction of ear, 92, 93

Fat compartment, intra-abdominal submuscular, male abdominoplasty and, 568

Female patient, and male patient, soft tissue differences of, in abdomen, 555, 556

Fingers, dorsal, defects of, closure options for, 115-116

Fingertip, defect of, reconstructive options for, 115

Fistulas, palatal, in failure of palatoplasty in cleft repair, 339-342

Fluid monitoring, following body contouring, 607

Folate deficiency, following Roux-en-Y gastric bypass, 606-607

Forearm, and hand, reconstruction after skin cancer ablation, 113-119 defect of, after cancer excision, closure of, 117-118

distal, reconstruction using forearm flap, 116, 117 dorsa', "hurricane" flap for closure of defect of, 117, 118

Forearm flap, for reconstruction of distal forearm, 116, 117 radial, for dorsal hand reconstruction, 116, 117

Forehead, defects of, following Mohs' surgery, aesthetic nasal reconstruction in, 106-107

Forehead flap, for delayed reconstruction following surgery for recurrent cancer, 111, 112 in aesthetic reconstruction following Mohs' surgery, 106–107, 109, 111 paramedian, for aesthetic reconstruction of nose, 142–143 for nasal skin replacement, 98–99 in full-thickness defect of nasal tip and ala, 105, 106

three-stage, for nasal skin replacement, 99 Fractures, craniofacial. See *Craniofacial fractures*.

Free flaps, reconstruction of large skin defects with, 39-48

Frontal sinus, obliteration of, hydroxyapatite cements in, 426-427

Fronto-orbital osteotomies, with resorbable fixation using endoscopic approach, 429-442

G

Gastric banding, laparoscopic adjustable, mechanism of action of, 594
method of, 594
results of, 594–595
vomiting following, 605

Gastric bypass, diabetes mellitus, and body contouring, 603 obstructive sleep apnea and, 603

Gastroesophageal reflux disease, in obesity, gastric bypass and, 604

Gastroplasty, vertical banded, mechanism of action of, 593 method of, 593–594 results of, 594

Genes, early expression and development, signaling molecules and, 125–127 layer differentiation, neurulation, and midline malformations and, 127–128 single, in etiology of orofacial clefting, 135–136

Genetic etiologies, of orofacial clefting, 134-137

H

Hand, and forearm, reconstruction after skin cancer ablation, 113-119
dorsal, defect of, reconstructive options for, 116-117
reconstruction of, radial forearm flap for, 116, 117
reconstruction of, transposition flaps for, 114

Hard Tissue Replacement, for craniofacial reconstruction, 378

Head and neck, tumors of, Mohs' micrographic surgery in, 13, 15, 16, 18

Helmet(s), polyethylene, following surgical management of coronal craniosynostosis, 418, 419–420 postsurgical, in coronal synostosis, 483–484, 486 in craniosynostosis, complications of, 485–486 design and care of, 481–487 fabrication of, 482–485 health risks associated with, 485

results of use of, 486 treatment principles for, 481–482 in lambdoid synostosis, 484–485 in metopic synostosis, 484 in sagittal synostosis, 483, 486

instructions to parents in, 485

Hemifacial microsomia, mandibular distraction in, 444-453, 454

Hernias, abdominal wall, after weight loss surgery, management of, 602

Hips, waist and, following massive weight loss, 611-612, 614

Hydroxyapatite, cement paste form of, 379 ceramic forms of, 379, 423 for craniofacial reconstruction, 378–380 nonceramic form of, 423 porous granular, 379–380

Hydroxyapatite cements, in craniofacial surgery, 423-428 in frontal sinus obliteration, 426-427

Hydroxyapatite implants, bone ingrowth and, 423-424 for facial contouring, 427 infection and, 424

Hypoplasia(s), mandibular, distraction osteogenesis in, 443 midface, bone advancement in, 464–471 in Crouzon disease, 410–411 Hypoventilation syndrome, obesity, description of, 603 gastric bypass surgery and, 603-604

1

Iliac crest, reconstruction of, with resorbable protective sheets, 394

Implants, MacroPore FRP, 398

MacroPore PLDLa, 397–398

metallic, clinical benefits of resorbable polymers

over, 394

Infant device, mandibular, 410

Infection, hydroxyapatite implants and, 424 methyl methacrylate and, 378

Interosseous flap, posterior, for forearm reconstruction, 117

Iron deficiency, following Roux-en-Y gastric bypass, 606

Island flaps, for nail bed defects, 115, 116

L

Lambdoid synostosis, helmets for postoperative patients in, 484-485

Latissimus flap, for coverage of upper extremity, 114

Lip(s), anatomy of, cleft palate and, 236–237 cleft. See *Cleft lip*.

repair of, mucocutaneous deformities associated with, 334-335

residual deformities of, after repair of cleft and palate, 334

correction of, after cleft repair, 334–338 scars of, revision of, after cleft repair, 334 surgery of, following unoperated clefts,

364-372, 367

upper, long, following cleft repair, management of, 335-337

short, following cleft repair, treatment of, 338, 339

tight, following cleft repair, management of, 337-338

Lipectomy, circumferential belt, 613-616
complications associated with, 621-623
contraindications to, 617
expected results of, 620-621
in massive weight loss, to near ideal body
weight, 615, 621
with intermediate weight
improvement, 621
with remaining obesity, 620

markings for, 616, 617–618
postoperative care following, 619–620
preoperative work-up for, 616–617
surgical technique for, 618
details of, 618–619
suction, in excess abdominal adipose tissue, 580
suction-assisted (Type I), indications for,
559–560

Lipoplasty, and abdominoplasty, based on anatomy, 540–548 overlap of, **539–553** technique of, 548–552 superwet, 572

Liposculpture, superficial. See Abdominoplasty; Lipoplasty.

Liposuction, 523, 531, 539
abdominal, in male patient, 555
presentation and markings for, 556, 557
and mini-abdominoplasty, for body contouring
with minimal scars, **571–581**extensive, pannilectomy with, 565–566
for abdominolasty, 583
in females, procedures for, 559
in males, procedures for, 560
Subtype 1a extended, and Type I liposuction, indications for, 559–560
power-assisted, 561
technique of, 560–561
Type I, and Subtype 1a extended liposuction, indications for, 559–560

Type I, and Subtype Ia extended liposuction, indications for, 559–560 power-assisted, 561 technique of, 560–561

Lip(s), anatomy and function of, 71–72
lower, aesthetic units of, 71–72
skin defects of, reconstruction of, 81–84
reconstruction of, after ablation for skin
malignancies, 71–87
using anatomy to plan, 72–73
skin defects of, reconstruction of, 72, 73
upper, aesthetic units of, 71
full-thickness resection of, 78, 79, 80–81
skin defects of, reconstruction of, 72, 73–80

Lung disease, restrictive, following circumferential belt lipectomy, 623

M

MacroPore biodegradable tacks, 401-403

MacroPore FRP implants, 398

MacroPore mesh, side table assembly using, 399

MacroPore PLDLa implants, 397-398

MacroPore resorbable devices, in craniofacial surgery, 393-406

MacroPore sheets, 401-403

Magnetic resonance imaging, of resorbable polymers, 394-395

Male patient, abdominal liposuction in, 555
presentation and markings for, 556, 557
abdominoplasty in. See *Abdominoplasty, male*.
adipose tissue of, 556
anatomy of, and concerns of, 555–557
and female patient, soft tissue differences of, in abdomen, 555, 556
muscle layer of abdomen of, 557
skin of, 556

Mandible, dentition of, in unoperated clefts, 369–373 distraction osteogenesis of, 463 in unoperated clefts, 369

Mandibular distraction, clinical applications of, 444–455 in hemifacial microsomia, 444–453, 454 in micrognathias, 453–454, 455, 456–457, 458 in temporomandibular joint ankylosys, 454–455, 460–461 surgical refinements and long-term results of, 443–462

Mandibular distractor, internal resorbable, 404

Mandibular hypoplasias, distraction osteogenesis in, 443

Mandibular infant device, 410

Mandibular pediatric device, 410

Marking clamp, 527, 531

"Marriage" abdominoplasty. See Abdominoplasty, "marriage".

Matrix, for bone and tissue engineering, 390-391

Maxilla, dentition of, in unoperated clefts, 369-373 hypoplastic cleft, surgical correction of, 293 in unoperated clefts, 364-369 osteotomies of, in treatment of alveolar clefts, 311

Maxillo-mandibular relationship, in unoperated clefts, 369

Medications, use of, by post-bariatric-surgery patients, 604

Medpor, for craniofacial reconstruction, 380-381

Medpor implant, for total reconstruction of ear, 93

Metallic implants, clinical benefits of resorbable polymers over, 394

Methyl methacrylate, for craniofacial reconstruction, 378 infection and, 378

Metopic synostosis, helmets for postoperative patients in, 484 surgical repair of craniosynostosis in, 430-431, 438, 439

Micrognathia(s), mandibular distraction in, 453-454, 455, 456-457, 458

Midface distraction, surgical technique of, 463-471 to "true monoblock," 463-479

Mini-abdominoplasty, and liposuction, for body contouring with minimal scars, 571-581

Mohs' defect, management of, 19-22, 23

Mohs' micrographic surgery, aesthetic reconstruction following, cartilage graft for, 106–107 cheek flaps for, 109, 111 chondromucoperichondrial flap for, 110, 111–112 forehead flap for, 106–107, 109, 111 nasolabial flap for, 106–107 scalp flap for, 106–107 defects of forehead, nasal tip, ala and sidewall

defects of forehead, nasal tip, ala and sidewall following, aesthetic nasal reconstruction in, 106-107

defects of nose and cheek following, aesthetic reconstruction in, 109, 111

healed wound following, delayed reconstruction of, 107, 108

in basal cell carcinoma, 5, 9, 10, 11, 12, 13

in large and deeply invasive skin cancer, 8

in melanoma, 19

in recurrent skin cancer, 8

in skin cancer management, advantages of, 5 and disadvantages of, 6-8, 9 and management of surgical defect, 5-31 "bread-loafing" of specimen in, 5, 6 cure rates for, 5 indications for, 8-18 stages of, 7-8

in tumors arising in scars, 17 in tumors of head and neck, 13, 15, 16, 18 in tumors of periocular area, 14, 16, 17

limitations of, 25-29

modification of, 1-4

of nasal dorsum, aesthetic reconstruction following, 110, 111-112

perineural tumor spread, 15-16, 18 tumors amenable to, 18-19

Monoblock, "true", in Crouzon disease, 465-469, 471 midface distraction to, 463-479

Mons pubis ptosis, following circumferential belt lipectomy, 623

Mouth, anatomy of, 163

Mucosal flap, bipedicle, in full-thickness defect of nasal tip and ala, 105, 106

Muscle(s), for reconstruction of large skin defects, 41-42 of abdomen of male patient, 557

Muscular deformities, after repair of clefts, 335

Musculocutaneous flaps, for reconstruction of large skin defects, 41-42

N

Nail bed, defect of, reconstructive options for, 115, 116

Nasal dorsum, Mohs' surgery of, aesthetic reconstruction following, 110, 111-112

Nasoalveolar molding, benefits of, 157–159 complications of, 157 history of, 151–153 in clefts of lip, alveolus, and palate, **151–160** objectives of, 153 procedure for, 153–157

Nasolabial flap, for aesthetic reconstruction of nose, 142 in aesthetic reconstruction following Mohs'

surgery, 106-107 superiorly based, for reconstruction of alar subunit, 98

Neonates, with clefts, orthodontic treatment in, 275

Neural crest cell formation, migration, and differentiation, 128, 129

Nose, aesthetic reconstruction of, case studies illustrating, 102-112

illustrating, 102–112
following skin cancer, 95–112
formulation of plan for, 99–100
scarring and edema and, 100
secondary, in recurrent cancer, 100–102
skin cover in, 99–100
structural support for, 96–97
visualization of nasal subunits in, 100
anatomy of, 163
cleft palate and, 236–237

defect(s) of, evaluation of, 95 following Mohs' surgery, aesthetic reconstruction in, 109, 111

deformities of, following cleft repair, correction of, 342, 343-344

surgical techniques for, 342-345

lining of, replacement of, 95-96

obstruction of, following cleft repair, correction of, 342-344, 345-346

sidewall defects of, following Mohs' surgery, aesthetic nasal reconstruction in, 106-107

skin cancer(s) of, postexcision radiation in, 100 recurrent, delayed reconstruction of heminasal defect following, 111, 112

structural support of, for aesthetic reconstruction, 96-97

skin cover for, for aesthetic reconstruction, 97-100

tip of, and ala, full-thickness defect of, bipedicle mucosal flap in, 105, 106 paramedian forehead flap in, 105, 106

defects following Mohs' surgery, aesthetic nasal reconstruction in, 106–107

total tip defect of, delayed reconstruction in, 107, 108

Nova Bone, for craniofacial reconstruction, 381-382

0

Obesity, as risk factor for deep vein thrombosis, 604 cardiac disease in, assessment for gastric bypass procedures, 603 cormorbidities related to, 591, 592-593 definition of, 591, 601 morbid, bariatric surgery for weight loss in,

591 – 600

efficacy of, 593 surgery in, preoperative screening for, 591-593

Obesity hypoventilation syndrome, description of, 603 gastric bypass surgery and, 603-604

Omentum, free flaps of, for reconstruction of large skin defects, 41

Oral commissure, massive defects of, management of, 84-85, 86

Orbital frontal device, midface, 409

Orbito-frontal deformity, in Crouzon syndrome, 476-478

Orofacial clefting, and chromosomal anomalies, 135 genetic etiologies of, 134–137 nonsyndromic, genetic etiologies of, 136–137

of primary palate, 132–133 of secondary palate, 134 single gene, etiologies of, 135–136

Orthodontic management, and cleft-orthognathic surgery, 326–328 clefts in adolescents and adults, 278–283, 283–284, 285–286, 287–289 for patients with clefts, 273–292 in alveolar clefts, 308 in unoperated clefts, 363

Osteogenesis, distraction. See

Distraction osteogenesis.

in mandible, 463

in mandibular hypoplasias, 443

benefits of, 443

history of, 443

Osteotomy(ies), circumferential monocortical mandibular, 412, 413 fronto-orbital and cranial, with resorbable fixation using endoscopic approach, 429-442 in Crouzon disease, 464, 465 maxillary, in alveolar clefts, 311

Oxycephaly, in Crouzon syndrome, 476-478

P

Palate, anatomy of, and cleft pathology, 236–238 cleft palate and, 236–237 cleft. See *Cleft palate*.
hard and soft, incomplete cleft of, repair of, 240 normal, anatomy of, 236–237 primary, orofacial clefting of, 132–133 secondary, orofacial clefting of, 134 soft, incomplete cleft of, repair of, 238–240 surgery of, following unoperated clefts, 367–369

Palatogenesis, primary, normal, 128-132 secondary, normal, 133-134

Palatoplasty, failures of, in cleft repair, 338-339 palatal fistula formation as, 339-340 repair in, 340-342

Von Lagenbeck, in incomplete cleft palate, 240

z-Palatoplasty, Furlow double-opposing, Children's Hospital of Philadelphia modification of, 247-252

> design of incisions for, 248 mucoperiosteal flaps for, 248–249 nasality following, 250, 251 results of, 249–251

secondary surgery following, 251 speech outcomes in, 249 velopharyngeal function following, 250–251

Pannilectomy, following massive weight loss, 616 with extensive liposuction, 565-566

Parents, adjustment of, to child with cleft lip and cleft palate, 349

Pediatric device, mandibular, 410

Pedicled flap(s), distant, for coverage of upper extremity, 114, 118

Pelvic tilt, aged, abdominoplasty and, 524, 526

Perforator flaps, for reconstruction of large skin defects, 42-46

Perineural tumor spread, Mohs' micrographic surgery in, 15-17, 18

Periocular area, tumors of, Mohs' micrographic surgery in, 14, 16, 17

Pierre Robin neonates, with airway obstruction, distraction in, selection criteria for, 227–228 distraction osteogenesis in, 225–233 results of, 231–232 distractor management protocol for, 228–231 measurements of, 228 selectional protocol for, 227

Polyethylene, porous, for craniofacial reconstruction, 380-381

Polyglycolic acid, 393 versus polylactic acid, 394

Polylactic acid, 393, 394 biocompatibility of, 395–396 compatibility with dura, spinal cord, and brain and nerve cells, 395–396 versus polyglycolic acid, 394

Polymers, resorbable. See Resorbable polymers.

Post-gastric-bypass patient, presenting for body contouring, perioperative management of, 601-610

Prosthetic habilitation, of cleft patients. See Cleft(s), prosthetic habilitation of patients with.

Protein-calorie malnutrition, and Roux-en-Y gastric bypass, 606

Psychiatric difficulties, following circumferential belt lipectomy, 623

Psychological issues, in child with cleft lip and cleft palate, 349-354

Psychosocial issues, body contouring and, 603

Pulmonary mechanics, assessment of, for gastric bypass surgery, 604

R

Radiation therapy, as adjunctive treatment option for skin cancer, 114 for facial skin cancers, 33-38 postexcision, in nasal skin cancers, 100

Radiobiology, 33

Radiotherapeutic techniques, 33-34

Rectus abdominus flap, for coverage of upper extremity, 114

Rectus muscle fascia, infraumbilical, vertical plication of, in "marriage" abdominoplasty, 576

"Replamineform" implants, 423

Resorbable bone distraction, current status and future directions in, 407-414

Resorbable bone distraction devices, 408-409

Resorbable materials, in bone distraction, 407-408

Resorbable polymers, 393-394

biomechanical properties of, 396-397 clinical applications of, 397-404

clinical benefits of, over metallic implants, 394 faster resorbing, in vivo degradation of, resorbable polymers and, 396, 397

heating and bending studies of, 396 in vivo degradation of, 396-397

in vivo degradation of faster resorbing polymer material, 396, 397

MR imaging of, 394-395

protective sheet strength and, 396

resorbable protective sheets, iliac crest reconstruction with, 394

Retromicrognathia, and airway compromise, distraction in, 411-412, 413

Roux-en-Y gastric bypass, 605 laparoscopic, 597 mechanism of action of, 596-597 micronutrient deficiencies following, 606 protein-calorie malnutrition and, 606 results of, 597-598 vomiting following, 605

Sagittal synostosis, complete, treatment of, 492-494 correction of, using modified II method, 489-498 diagnosis of, 490, 491

helmets for postoperative patients in, 483, 486 incidence of, 489 natural history of, 491-492 surgical repair of craniosynostosis in, 430, 433-434, 435, 436 terminology asociated with, 490-491 treatment of, calvarial remodeling in, 490, 491 operative technique for, 492-494 results of, 494-497 strip craniectomy in, 489, 490 total cranial vault reconstruction for, 489

Scaffold, for bone and tissue engineering, 390

Scalp flap, in aesthetic reconstruction following Mohs' surgery, 106-107

Scars, tumors arising in, Mohs' micrographic surgery in, 17

Septal cartilage, for structural support in nasal reconstruction, 96

Seromas, following circumferential belt lipectomy, 621-622

Sheets, MacroPore, 401-403

resorbable protective, iliac crest reconstruction strength of, resorbable polymers and, 396

Signaling molecules, and early gene expression and development, 125-127

Skin, abdominal, of male patient, 556

for nasal covering, for aesthetic reconstruction, 97 - 100

posterior mastoid, for reconstruction of skin and cartilage of ear, 92

Skin cancer(s), ablation of, cheek and inferior eyelid reconstruction after, 49-70

lip reconstruction after, 71-87

aesthetic reconstruction of nose following,

etiology and epidemiology of, 49-50

facial, clinical management of, 34-35 probability of cure of, tables of, 34

radiation therapy for, 33-38

advantages of, 34-35

disadvantages of, 35

outcome data on, 35-36

postoperative, 36-37

radiotherapeutic techniques in, 33-34

large and deeply invasive, Mohs' micrographic surgery in, 13

Mohs' micrographic surgery in, and management of surgical defect, 5-31

multidisciplinary approach to, indications for, 22-25

of cheek, anatomic considerations in, 50 principles of treatment of, 51-52

of hand and forearm, ablation of, reconstruction after, 113-119

of inferior eyelid, anatomic considerations in, 50, 51

of nose, postexcision radiation in, 100 recurrent, delayed reconstruction of heminasal defect following, 111, 112 recurrent, Mohs' micrographic surgery in, 8

Skin defects, large, reconstruction of, using muscle or musculocutaneous flaps, 41-42

using perforator flaps, 42–46
anterolateral thigh, 45–46
deep inferior epigastric, 43, 44–45
immediate flap defatting versus
secondary liposuction in, 46–47
thoracodorsal artery, 43–46
using superficial inferior epigastric artery
flap, 46

reconstruction with free flaps, advantages and disadvantages of, 40 aesthetic and functional considerations in,

39–48

in dermatofibrosarcoma, 41, 42 omental, 41 postoperative management in, 47 skin or fasciocutaneous, 40–41

Skin necrosis, following circumferential belt lipectomy, 623

Skin'laxity after weight loss, surgery for. See *Body contouring*.

Skull, tumor of, resection of, bone and tissue engineering for reconstruction following, 388–389

Sleep apnea, obstructive, definition of, 603 gastric bypass surgery and, 603

Soft tissues, of abdomen, differences in male and female, 555, 556

Speech, in cleft palate, evaluation of, 253-262

Squamous cell cancer, of thumb, reconstruction following, 116, 117

Stem cells, bone and tissue engineering and, 390

"Step-off" deformity, 572, 573

Submuscular fat compartment, intra-abdominal, male abdominoplasty and, 568

Sutures, progressive tension, and flap advancement, in abdominoplasty, 584, 585

concept of, 583, 584

excision for, in abdominoplasty, 584, 585

for body lift abdominoplasty, 588

for full abdominoplasty, 587

for modified abdominoplasty, 586

in abdominolasty, 583-589

in abdominoplasty, **583–589** study of, 585–586 technique of, 583–585

Synchondroses, craniofacial fractures and, 501-502

Synostosis. See specific types of synostosis.

T

Tacks, MacroPore biodegradable, 399-403

Temporomandibular joint ankylosys, mandibular distraction in, 454-455, 460-461

Thigh/buttock lifts, with high-lateral-tension abdominoplasty, 529–537 complications of, 532–537 operative technique for, 530–532 patient selection for, 530, 533–537

Thrombosis, deep vein, obesity as risk factor for, 604 prophylaxis of, for body contouring, 604-605

Thumb, squamous cell cancer of, reconstruction following, 116, 117

Tissue engineering. See Bone and tissue engineering.

Tissue examination, peripheral in-continuity, as modification of Mohs' micrographic surgery, 1-4 discussion of, 3-4 pathology procedure for, 1-3 surgical procedure for, 1

Tissue transfer, free, for coverage of upper extremity, 114

Toddlers, with clefts, orthodontic treatment in, 275

Tooth (teeth), replacement of, in prosthetic habilitation of cleft patients, 359, 361

Transposition flaps, for hand and upper extremity reconstruction, 114

H

Umbilicoplasty, with high-lateral-tension abdominoplasty, 528

Upper extremity, reconstruction in, antibiotic prophylaxis during, 114 cosmetic aspect of, 113 distant pedicled flaps for coverage in, 114 free tissue transfer for coverage in, 114 latissimus flap for coverage in, 114 reconstructive concepts for, 114–115 rectus abdominus flap for coverage in, 114 transposition flaps for, 114

V

Velopharynx, closure phonemes, correct articulation of, 264-265 dysfunction of, algorithm(s) for, 264 cleft-orthognathic surgery and, 326 evaluation and management of, 263-271 intermittent, speech therapy in, 265 intermittent perceptual, 265-266 management of, 267 history of, 263-264 patients at risk for, 265 prosthetic management of, 267 upper airway assessment for surgical management of, 267-268 function of, for speech in cleft palate, evaluation of, 254 instrumental evaluation of, 266 management of, algorithm(s) for, 264-270 determination of, 268-270

status of tonsils and adenoids for surgical management of, 268

Vermilion, poor alignment of, after repair of clefts, 335

Vitamin B12 deficiency, following Roux-en-Y gastric bypass, 606

W

Waist, and hips, following massive weight loss, 611-612, 614

Weight loss, in morbidly obese patient, bariatric surgery for, 591-600
efficacy of, 593
massive, abdomen following, 611, 613
back rolls following, 612, 614, 615

massive, abdomen following, 611, 613
back rolls following, 612, 614, 615
body contouring in, 611, 613
buttocks following, 612–613, 615
circumferential belt lipectomy following. See
Lipectomy, circumferential belt.
pannilectomy following, 616
treatment following, 613–616
truncal body contouring surgery in, 611–624
patient presentation and goals for, 611–613
waist and hips following, 611–612, 614
surgery for, abdominal wall hernias after,

Wound complications, prevention of, following body contouring, 607-608

management of, 602

